

HMI Series

Model: VI30-101-CWH-EN

Product Overview

The VEICHI VI30 series is a reliable, low-cost IoT HMI with a plastic casing. Its mainboard features a triple-coated process in its redesign for tough conditions, and boasts enhanced aesthetics and higher-resolution options.

With WIFI, it updates to an IoT interface, accessing full industrial IoT cloud services.

Product Appearance

Hotline: 400-600-0303 Website: www.veichi.com





1



Product Specifications

Characteristics	Display screen	10.1"16:9 TFT LED screen	
	Resolution	1024x600	
	Color	262K	
	Brightness	300 cd/m ²	
	Touch screen	4-wire resistive type	
	Input voltage	24_+20%VDC	
	Rated power	7W	
	Processor	Corter-A53 multicore 1GHz	
	Memory	256M	
	Data storage	512M	
	Hardware clock	Built-in	
External Interface	Serial	Method 1: COM1(232), COM2(485), COM3(485) Method 2: COM1=232), COM9(422)	
	USB	1 x Host	
	Ethernet	1x10/ 100M self-adaption	
	WiFi expansion	WiFi IEEE802.11 b/g/n	
Environment	Temperature	0°C~50°C	
	Operating humidity	5%~90%(non-condensing)	
	Storage temperature	-10°C~60°C	
	Storage humidity	5%~90%(non-condensing)	

Suzhou Veichi Electric Co., Ltd.



Specification	Casing material	Industrial plastics	
	Casing color	Industrial gray	
	Panel dimensions (mm)	274×193	
	Cabinet aperture (mm)	261×180	
Certification	Certification	CE/FCC	
	IP	IP65 (front panel)	
	EMC	Level 3	



Interface Definition




0		_	77	1	OV	
W	Power	+	+	2	DC24V	
	Serial interface	5 9 -	COM1	2	RS232 RXD	
				3	RS232 TXD	
				5	GND	
			COM2	7	RS485+	
				8	RS485-	
0			COMP	4	RS485+	
•			COM3	9	RS485-	
			COM9	7	RXD+	
				8	RXD-	
				4	TXD+	
				9	TXD-	
			Note: co	om9 can't be used	d together with com2, com3.	
(8)	Network interface					
•	USB	USB 2.0, for upgrading functions like project management, data import/export via USB				




Dimensions

Hotline: 400-600-0303 Website: www.veichi.com



Overall Dimensions



Hole Size

Embedded installation hole size: 261*180(mm)



Contacts

Suzhou (Headquarter)

Address: No.1000 Songjia Road, Wuzhong Economic and Technological Development Zone,

Suzhou, Jiangsu Province, China.

Tel: 0512-66171988 Fax: 0512-66173610

Shenzhen (Subsidiary)

Address: 3rd Floor, Building ChunSheng, Lingya Industrial Park, No. 1 Road, Tangtou Community,

Shiyan Street, Baoan District, Shenzhen, China.

Tel: 0755-36861688 Fax: 0755-29685680